Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction) and (xml same content same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:40
L2	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie same transaction) and (xml same content same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:40
L3	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie same transaction) and (xml same content same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:41
L4	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie same transaction) and (xml same (content or data or information) same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:41
L5	0	(cookie same transaction) and (xml same (content or data or information) same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:42
L6	0	(cookie same transaction) and (xml same (content or data or information) same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:42
L7	33532	ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:42
L8	8	(xml same (content or data or information) same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:43
L9	0	(cookie and transaction) and(xml same (content or data or information) same deliver) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:43
L10	5	(cookie and transaction) and(xml same (content or data or information) same (deliver or send or find)) and ISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:44



	Γ			<del></del>		
L11	0	(cookie and transaction) and(xml same (content or data or information) same (deliver or send or find)) and (ISDN same mobile same station)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:44
L12	1130	(ISDN same mobile same station)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:44
L13	647	Identif\$3 and (ISDN same mobile same station)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:46
L14	96	Identif\$3 same (ISDN same mobile same station)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:46
L15	0	(Identif\$3 same (ISDN same mobile same station) )and (cookie and transaction) and(xml same (content or data or information) and (deliver or send or find))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:47
L16	0	(Identif\$3 same (ISDN same mobile same station) )and (cookie and	USPAT; EPO; JPO;	OR	ON	2005/01/24 08:47
		transaction) and(xml and(content or data or information) and (deliver or send or find))	DERWENT		Suego de la companya	
L17	0	(Identif\$3 same (ISDN same mobile same station) )and (cookie and transaction)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:47
L18		(Identif\$3 same (ISDN same mobile same station) )and (ticket and network and transaction)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:56
L19	96	(Identif\$3 same (ISDN same mobile same station) )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:56
L20	0	(Identif\$3 same (ISDN same mobile same station) ) and xml	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:57
L21	0	(Identif\$3 same (ISDN same mobile same station) ) and xml	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:57
L22	4	( (ISDN same mobile same station) ) and xml	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 10:07
L23	0	( (ISDN same mobile same station) ) and xml and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:57
L24	3	( (ISDN same mobile same (station or terminal or pc or computer)) ) and xml and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:58

	· · · · · · · · · · · · · · · · · · ·	T		1		
S1	0	(MATTILA adj MARKO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:34
S2	1	(EEROLA adj SEVERI).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:38
S3	0	(NEDZELSKAIA adj NATALIA).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:38
S4	1	(HEISKA adj JUKKA).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:39
S5	0	(JOKINEN adj JYRI).inv.	USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/01/20 15:41
S6	1546	(altera).asn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:41
S7	0	(altera adj law).asn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:42
`S8	915	(709/225).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:45
S9	4615	((709/225) or (709/223) or (709/249) or (709/246) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:50
S10	74837	(("709") or ("370")).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:51
S11	107998	(("709") or ("370") or ("711") or ("715") or ("725")).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:51
S12	0	("(contentordataorinformation)"). PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:52
S13	4500085	(content or data or information)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:53
S14	16800	(content or data or information)same download	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:53
S15	13024	((content or data or information) with download)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:54
S16	2678	((content or data or information) with download) and (request\$3 same access\$3 same (inforamtion or data or content))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:55

	<sub>1</sub>					
S17	3187	((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:56
S18	1692	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 15:58
S19	669	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and (access same (ticket or receipt or card or tool))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 16:00
S20	392	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ((access same (ticket or receipt or card or tool))same user)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 16:00
S21	427	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) )	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 16:04
<b>S22</b>	138	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:04

creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field)  S24  O (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and xml  S25  29  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field)  ON  2005/01/20 16:03							
creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator)) and ( access with right) and ((ticket or receipt or card )with field) and xml  S25  29  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network  S26  29  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator)) and ( access with right) and ((ticket or receipt or card or receipt or card or tool))same ( client or user or manager or administrator)) and ( access with right) and ((ticket or receipt or card or receipt or card or tool))same ( client or user or manager or administrator)) and ( access with right) and ((ticket or receipt or card	S23	29	same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card		OR	ON	2005/01/20 16:05
same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card) with field) and xml  S25 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( access with right) and ((ticket or receipt or card) with field) and network  S26 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information) or data or content)) and ( access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) and ( access with right) and (ticket or receipt or card or tool))same ( client or user or manager or administrator) and ( access with right) and (ticket or receipt or card or tool)	S24	0			OR	ON	2005/01/20 16:05
information) with download) and (request\$3 same access\$3 same (information or data or content)) and ((access same (ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access with right) and ((ticket or receipt or card) with field) and xml  S25 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ((access same (ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access with right) and ((ticket or receipt or card )with field) and network  S26 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same ((information or data or content)) and ((access same (ticket or receipt or card or dout))same (client or user or manager or administrator)) and ((access same (ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access same (ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access with right) and ((ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access with right) and ((ticket or receipt or card or content)) and (access same (ticket or receipt or card or tool))same (client or user or manager or administrator)) and (access with right) and ((ticket or receipt or card or content))							
(information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and xml  S25 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and network  S26 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool)				DERWEIN			
and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and xml  S25  29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card) with field) and network  S26  29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or or content)) and ( access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ( (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ( (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ( (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ( (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( iccess with right) and							
client or user or manager or administrator) and (access with right) and ((ticket or receipt or card) with field) and xml  S25  29 (receiv\$\$4 or get\$\$3 or obtain\$\$3 or creat\$\$4 or retriev\$\$3 or authoriz\$\$4\$) same ((content or data or information) with download) and (request\$\$3 same access\$\$3 same (information or data or receipt or card or tool))same (client or user or manager or administrator) and (access with right) and ((ticket or receipt or card or tool)) and (access with right) and (ticket or receipt or card or tool) with field) and network  S26  29 (receiv\$\$4 or get\$\$3 or obtain\$\$3 or creat\$\$4 or retriev\$\$3 or authoriz\$\$4\$) same ((content or data or information) with download) and (request\$\$3 same access\$\$3 same (information or data or content)) and (access same (ticket or receipt or card or tool))same (client or user or manager or administrator) and (access with right) and ((ticket or receipt or card or data)) and (access with right) and ((ticket or receipt or card or data)) and (access with right) and ((ticket or receipt or card or data))							
administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and xml  S25 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card) with field) and network  S26 29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))		7.1. 7.1.	1				,
right) and ((ticket or receipt or card )with field) and xml  S25  29  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network  S26  29  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card	.*						
S25  29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or or receipt or card or tool))same ( client or user or manager or administrator) ) and (access with right) and ((ticket or receipt or card) with field) and network  S26  29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and (access same (ticket or receipt or card or tool))same (client or user or manager or administrator) ) and (access with right) and ((ticket or receipt or card or tool))same (client or user or manager or administrator) ) and (access with right) and ((ticket or receipt or card			right) and ((ticket or receipt or card		100		
creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network  S26  29 (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card		1 A	)with field) and xml		i, Tar	17	
creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card			1	1		1	
same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card	S25	29	creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card	EPO; JPO;	OR	ON	2005/01/20 16:07
information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and network (receiv\$4 or get\$3 or obtain\$3 or	EPO; JPO; DERWENT	enter in the		2005/01/20 16:07
(information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)	USPAT; EPO; JPO;	enter in the		
and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and	USPAT; EPO; JPO;	enter in the		
client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same	USPAT; EPO; JPO;	enter in the		
administrator) ) and ( access with right) and ((ticket or receipt or card			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or	USPAT; EPO; JPO;	enter in the		
			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same (	USPAT; EPO; JPO;	enter in the		
I with the state of the content of the state			creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with	USPAT; EPO; JPO;	enter in the		

S27	142416	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 transaction	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:08
S28	26	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card) with field) and network and stor\$4 and transaction	USPAT; EPO; JPO; DERWENT	OR .	ON	2005/01/20 16:08
S29	21	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 and transaction and handler	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:08
S30	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 and transaction and handler and MSISDN	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:09

	· · · · · · · · · · · · · · · · · · ·			Ι-		
S31		(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card ) with field) and network and stor\$4 and transaction and handler	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:10
S32	2	S11 and S31	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/20 16:09
S33	21	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 and transaction and handler	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 21:23
S34	10	S33 and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 21:23
S35	1738565	"33" and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 21:23
S36	21	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 and transaction and handler.  \$36 and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR OR	ON	2005/01/21 21:25
			EPO; JPO; DERWENT		<b></b>	

S38	0	S36 and xml and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 21:24
S39	26	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:33
٠		information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same (	74 1		• ,	
	-	client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4				
		and transaction			d.	* :
S40	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and ((ticket or receipt or card )with field) and network and stor\$4 and transaction and (cookie same xml)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:34
<b>S41</b>	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and network and stor\$4 and transaction and (cookie same xml)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:34
S42	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))same ( client or user or manager or administrator) ) and ( access with right) and network and stor\$4 and transaction and (cookie same xml)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:34

S43	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) same ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))and ( client or user or manager or administrator) ) and ( access with right) and network and stor\$4 and transaction and (cookie same xml)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:34
S44	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) and ((content or data or information) with download) and (request\$3 same access\$3 same (information or data or content)) and ( (access same (ticket or receipt or card or tool))and ( client or user or manager or administrator) ) and ( access with right) and network and stor\$4 and transaction and (cookie same xml) (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) and ((content or data or information) with download) and (request\$3 and access\$3 and (information or data or content)) and ( (access same (ticket or receipt or card or tool))and ( client or user or manager or administrator) ) and ( access with right) and network and stor\$4 and transaction and (cookie same xml)	USPAT; EPO; JPO; DERWENT USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:35
S46	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4) and ((content or data or information) with download) and (request\$3 and access\$3 and (information or data or content)) and ( (access same (ticket or receipt or card or tool))and ( client or user or manager or administrator) ) and network and stor\$4 and transaction and (cookie same xml)  (receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) same (cookie same	USPAT; EPO; JPO; DERWENT  USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:39

S48	19	(receiv\$4 or get\$3 or obtain\$3 or	USPAT;	OR	ON	2005/01/21 22:40
		creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml)	EPO; JPO; DERWENT			
S49	5	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:41
S50	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction) and (xml same transaction)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:42
S51	3	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/24 08:39
, w <sup>lin</sup>		and (xml same content same deliver)				
S52	0	(receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction) and (xml same content same deliver)and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:43
<b>\$53</b>	0	((receiv\$4 or get\$3 or obtain\$3 or creat\$4 or retriev\$3 or authoriz\$4)same((content or data ) with download) and (cookie and xml) and (cookie same transaction) and (xml same content same deliver))and @pd<"20011003"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/21 22:43

